


BSD 967-09X Multimedia end outlet terminated 10 dB | 5 ... 1800 MHz | CATV | DATA



- ✓ Class A (+10 dB) according to EN 50083-2
- ✓ For DOCSIS 3.1/4.0 applications
- ✓ Suitable for broadband return path
- ✓ High overvoltage protection
- ✓ High intermodulation immunity (≤ 115 dBc)
- ✓ TV port IEC male
- ✓ DATA port F female
- ✓ Surface treated
- ✓ Vodafone listed according to VF TS 142 (for projects)

Order information

Type	BSD 967-09X
Order no.	BSD96709X
GTIN	7611682008319
PE	1
VE	1
EU customs tariff number	85291095



Technical data

Screening factor acc. to EN 50083-2	Class A (+10 dB)
Trunk line	
Frequency range input	5 ... 1800 MHz
Suitable cables (inner conductor outer conductor outer diameter)	0.4 ... 1.13 mm 3.5 ... 6.0 mm 4.70 ... 7.35 mm
TV connector	
Connector type	IEC male
Tap loss	9 dB \pm 1 dB
DATA connector	
Connector type	F female
Frequency range	5 ... 1800 MHz
Tap loss	9 dB \pm 1 dB
Isolation TV@DATA @ 5 ... 204 MHz	≥ 60 dB
Isolation TV@DATA @ 258 ... 1800 MHz	≥ 25 dB
General	
Dimensions (W x H x D) appr.	68 x 68 x 39 mm
Weight	0.1 kg

Suitable products

[TZU 2-01 Cover plate | TV/DATA | single piece](#)

[TZU 1-00 Surface frame](#)

[TZU 2-11 Cover plate | TV/DATA | two-parts](#)

[TZU 1-10 Surface frame](#)